



US00D331632S

# United States Patent [19] Tanikawa

[11] Patent Number: **Des. 331,632**  
[45] Date of Patent: **\*\* Dec. 8, 1992**

[54] **MULLION**  
[75] Inventor: **Shinji Tanikawa, Marietta, Ga.**  
[73] Assignee: **YKK Architectural Products Inc.,  
Tokyo, Japan**

3,266,210 8/1966 Grossman ..... 52/235  
3,504,465 4/1970 Brinker ..... D25/58  
3,645,058 2/1972 Jacobson et al. .... D25/52  
4,151,691 5/1979 Wendt ..... D25/121  
4,448,001 5/1984 Whitmyer et al. .... 52/235  
4,662,145 5/1987 Tanikana et al. .... 52/235

[\*] Notice: The portion of the term of this patent subsequent to Dec. 15, 2006 has been disclaimed.

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris Clark

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **583,356**

The ornamental design for a mullion, as shown and described.

[22] Filed: **Sep. 17, 1990**

**DESCRIPTION**

[30] **Foreign Application Priority Data**

FIG. 1 is a front elevational view of a mullion showing my new design;

Mar. 23, 1990 [JP] Japan ..... 2-9897

FIG. 2 is a rear elevational view thereof;

[52] U.S. Cl. .... **D25/120**

FIG. 3 is a top plan view thereof;

[58] Field of Search ..... D25/119-120;

FIG. 4 is a left side elevational view thereof;

52/235, 777-781, 821-824

FIG. 5 is a right side elevational view thereof; and,

[56] **References Cited**

FIG. 6 is a cross-sectional view taken along line 6—6 of

**U.S. PATENT DOCUMENTS**

FIG. 2, the broken lines showing adjacent structures are for illustrative purposes only and form no part of the claimed design.

D. 211,457 6/1968 Anderson ..... D25/119




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

