



US00D331716S

# United States Patent [19]

[11] Patent Number: Des. 331,716

Eichler et al.

[45] Date of Patent: \*\* Dec. 15, 1992

[54] EXCHANGEABLE FLOW METER

5,060,655 10/1991 Rudolph ..... 128/716

[75] Inventors: Rudiger Eichler, Zellingen; Tom Steinmuller, Hoechberg, both of Fed. Rep. of Germany

Primary Examiner—Nelson C. Holtje  
Assistant Examiner—Antoine D. Davis  
Attorney, Agent, or Firm—Kinzer, Plyer, Dorn, McEachran & Jambor

[73] Assignee: Erich Jaeger GmbH & Co. KG, Fed. Rep. of Germany

[57] CLAIM

[\*\*] Term: 14 Years

The ornamental design for an exchangeable flow meter, as shown and described.

[21] Appl. No.: 567,665

DESCRIPTION

[22] Filed: Aug. 15, 1990

[52] U.S. Cl. .... D10/96; D10/85

[58] Field of Search ..... D10/46, 86, 85, 96; D24/164; 128/716-730

FIG. 1 is a front elevational view of an exchangeable flow meter showing our new design, the rear elevational view being identical;

FIG. 2 is a typical side elevational view;

FIG. 3 is a top plan view;

FIG. 4 is a bottom plan view;

FIG. 5 is a front elevational view, the rear elevational view being identical;

FIG. 6 is a typical side elevational view;

FIG. 7 is a top plan view; and,

FIG. 8 is a bottom plan view thereof.

The handle element shown in FIGS. 1-4 has been removed for ease of illustration in FIGS. 5-8.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 253,721	12/1979	Gilbeck	.....	D24/164
D. 301,377	5/1989	Lambert	.....	D24/164
D. 302,040	7/1989	Lambert	.....	D24/164
D. 320,486	10/1991	Nelepka	.....	D24/164 X
4,679,573	7/1987	Parnoff et al.	.....	128/716
4,953,547	9/1990	Poole, Jr.	.....	128/716 X
5,033,312	7/1991	Stopecky	.....	128/725 X





fig. 1.




fig. 2.




fig. 3.





fig. 4.

FIG. 5.




FIG. 6.





FIG. 7.




FIG. 8.