



US00D331735S

United States Patent [19]

[11] Patent Number: **Des. 331,735**

Maxwell

[45] Date of Patent: **** Dec. 15, 1992**

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

D. 310,804 9/1990 Covert et al. D12/147
D. 317,145 5/1991 Iwamura D12/146

[75] Inventor: Paul B. Maxwell, Stow, Ohio

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[73] Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio

[57] **CLAIM**

[**] Term: 14 Years

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

[21] Appl. No.: 538,944

DESCRIPTION

[22] Filed: Jun. 14, 1990

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-151,
D12/136; 152/209 R, 209 A, 209 B, 209 D


FIG. 1 is a front elevation view of a pneumatic tire tread and buttress showing my new design it being understood that the pattern is repeated uniformly through the circumference of the tread and buttress; and, FIG. 2 is a side elevational view of FIG. 1 both side views being the same.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 54,599 3/1920 Clarke D12/144
D. 305,526 1/1990 Graas D12/149
D. 306,276 2/1990 Graas D12/147

The broken line showing of environmental structure is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2