



US00D331739S

United States Patent [19]

Sato et al.

[11] Patent Number: **Des. 331,739**

[45] Date of Patent: **** Dec. 15, 1992**

[54] ELECTRICAL CONNECTOR

[75] Inventors: **Kensaku Sato; Naohisa Nakata**, both of Tokyo, Japan

[73] Assignee: **Hirose Electric Co., Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **668,470**

[22] Filed: **Mar. 13, 1991**

[52] U.S. Cl. **D13/147**

[58] Field of Search **D13/133, 146, 147; 439/282, 292, 345, 346, 352, 353, 354, 357, 358, 374, 483, 527, 594**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 242,862	12/1976	Huber	D13/147
D. 257,034	9/1980	Knickerbocker	D13/147
D. 319,427	8/1991	Ichitsubo	D13/147
D. 324,031	2/1992	Lambert, II et al.	D13/147
4,444,450	4/1984	Huber	439/345 X
4,718,857	1/1988	Noschese	439/292

FOREIGN PATENT DOCUMENTS

2070868 9/1981 United Kingdom 439/527

Primary Examiner—Wallace R. Burke

Assistant Examiner—Joel Sincavage

Attorney, Agent, or Firm—Kanesaka & Takeuchi

[57] CLAIM

The ornamental design for an electrical connector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an electrical connector showing an embodiment of our new design;

FIG. 2 is a top plan view thereof;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a right side elevational view thereof, the left side elevational view being a mirror image.

The broken line showing in FIGS. 2, 4 and 6 is included for the purpose of illustrating environmental elements only and forms no part of the claimed design.






FIG. 1




FIG. 6




FIG. 2




FIG. 3




FIG. 4




FIG. 5