



US00D331745S

United States Patent [19]

[11] Patent Number: **Des. 331,745**

Miyake et al.

[45] Date of Patent: **** Dec. 15, 1992**

[54] **COMBINED DATA INPUT AND OUTPUT
TERMINAL FOR PROGRAMMABLE
CONTROLLER**

[75] Inventors: **Takao Miyake; Masayoshi Kawaishi;
Katsuhiko Ishida; Yukio Kanaoka, all
of Nara, Japan**

[73] Assignee: **Sharp Kabushiki Kaisha, Osaka,
Japan**

[**] Term: **14 Years**

[21] Appl. No.: **773,304**

[22] Filed: **Oct. 9, 1991**

[30] **Foreign Application Priority Data**

Apr. 23, 1991 [JP]	Japan	3-12119
[52] U.S. Cl.		D14/100
[58] Field of Search		D14/100, 105, 107; D18/1, 7; 340/700, 706, 711, 712; 341/22, 23; 364/706-709.01

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 283,711 5/1986 Deura et al. D14/100
- D. 289,049 3/1987 Marchese D14/100
- D. 292,401 10/1987 Lee et al. D14/100 X
- D. 299,235 1/1989 Feger et al. D14/100
- D. 307,888 5/1990 Ishida D14/100
- D. 310,660 9/1990 Ishida D14/100
- D. 312,622 12/1990 Alden et al. D14/100

Primary Examiner—Wallace R. Bruke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] **CLAIM**

The ornamental design for a combined data input and output terminal for programmable controller, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined data input and output terminal for programmable controller showing our new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof; and,
 FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

