



US00D331751S

United States Patent [19]

[11] Patent Number: **Des. 331,751**

Short

[45] Date of Patent: **** Dec. 15, 1992**

[54] **FACSIMILE TRANSMITTER/RECEIVER**

D. 315,152	3/1991	Takayama et al.	D14/118
D. 315,341	3/1991	Komatsu	D14/118
D. 315,555	3/1991	Komatsu	D14/118

[75] Inventor: **Michael Short, Tokyo, Japan**

[73] Assignee: **Ricoh Company, Ltd., Tokyo, Japan**

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Spivak, McClelland,
Maier & Neustadt

[**] Term: **14 Years**

[21] Appl. No.: **707,399**

[22] Filed: **May 30, 1991**

[57] **CLAIM**

[30] **Foreign Application Priority Data**

The ornamental design for a facsimile transmitter/receiver, as shown and described.

Nov. 30, 1990 [JP] Japan 2-039871

DESCRIPTION

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124, 299;
D18/36, 37; 358/400, 401

FIG. 1 is a front, top, left perspective view of a facsimile/transmitter receiver showing my new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a left side elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 312,455	11/1990	Takayama et al.	D14/118
D. 314,957	2/1991	Tsukada	D14/118




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6

