



US00D331752S

United States Patent [19]

[11] Patent Number: **Des. 331,752**

Kashiwabara et al.

[45] Date of Patent: **** Dec. 15, 1992**

[54] FACSIMILE TRANSCIVER

D. 321,867 11/1991 Anderson D14/118
D. 322,781 12/1991 Yoshida D14/118

[75] Inventors: **Masahiko Kashiwabara**, Yokohama;
Shin-ichi Hiroki, Tokyo, both of
Japan

FOREIGN PATENT DOCUMENTS

787260 5/1990 Japan .

[73] Assignee: **Kabushiki Kaisha Toshiba**, Kawasaki,
Japan

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Spivak, McClelland,
Maier & Neustadt

[**] Term: **14 Years**

[21] Appl. No.: **781,947**

[57] CLAIM

[22] Filed: **Oct. 24, 1991**

The ornamental design for a facsimile transceiver, as
shown and described.

[30] Foreign Application Priority Data

Apr. 25, 1991 [JP] Japan 3-11993

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124, 299;
D18/36, 37; 358/400, 401

DESCRIPTION

FIG. 1 is a top, front and left side perspective view of a
facsimile transceiver showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a top and front perspective view thereof with
a handset and a scanner shown inverted, and a printer
cover in an open position.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 304,184 10/1989 Watanabe D14/118
D. 312,253 11/1990 Yoshihara D14/118
D. 313,988 1/1991 Watanabe D14/118
D. 315,338 3/1991 Yoshihara D14/118





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

