



US00D331753S

United States Patent [19]

Itou et al.

[11] Patent Number: Des. 331,753

[45] Date of Patent: ** Dec. 15, 1992

[54] FACSIMILE TRANSMITTER AND RECEIVER

[75] Inventors: Akihide Itou; Isato Murakawa; Hideji Takemasa, all of Tokyo, Japan

[73] Assignee: NEC Corporation, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 789,477

[22] Filed: Nov. 8, 1991

[30] Foreign Application Priority Data

May 9, 1991 [JP] Japan 3-13602

[52] U.S. Cl. D14/118

[58] Field of Search D14/118, 124, 299;
D18/36, 37; 358/400, 401

[56] References Cited

U.S. PATENT DOCUMENTS

D. 290,959 7/1987 Ooie D14/118
D. 296,334 6/1988 Hara D18/36
D. 305,775 1/1990 Tasada D18/36
D. 312,079 11/1990 Kosatsu D14/118

D. 316,254 4/1991 Sato D14/118
D. 323,160 1/1992 Udagawa D14/118

OTHER PUBLICATIONS

The Office, Oct. 1988, page 39, Nitsuko model FX--E500.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a facsimile transmitter and receiver, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a facsimile transmitter and receiver showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a front, top and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7