



US00D331754S

United States Patent [19]
Kashiwabara

[11] **Patent Number: Des. 331,754**
[45] **Date of Patent: ** Dec. 15, 1992**

[54] **FACSIMILE TRANSCEIVER**

[75] **Inventor: Masahiko Kashiwabara, Yokohama, Japan**

[73] **Assignee: Kabushiki Kaisha Toshiba, Kawasaki, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 781,952**

[22] **Filed: Oct. 24, 1991**

[30] **Foreign Application Priority Data**

Apr. 25, 1991 [JP] Japan 3-11994

[52] **U.S. Cl. D14/118**

[58] **Field of Search D14/118, 124, 299; D18/36, 37; 358/400, 401**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 304,184 10/1989 Watanabe D14/118
- D. 312,253 11/1990 Yoshihara D14/118
- D. 313,988 1/1991 Watanabe D14/118
- D. 315,338 3/1991 Yoshihara D14/118

- D. 321,867 11/1991 Anderson D14/118
- D. 322,781 12/1991 Yoshida D14/118

FOREIGN PATENT DOCUMENTS

787260 2/1990 Japan .

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of a facsimile transceiver showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a bottom plan view thereof; and,
 FIG. 8 is a top, front and right perspective view thereof with a scanner shown inverted and a printer cover in an open position.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

