



US00D331787S

# United States Patent [19]

[11] Patent Number: **Des. 331,787**

Evoy

[45] Date of Patent: **\*\* Dec. 15, 1992**

[54] **STUFFED TOY DOG FIGURE**

[76] Inventor: **Ken Evoy**, 3620 Lorne Crescent,  
Montreal, Quebec, Canada, H2X 2B1

[\*\*] Term: **14 Years**

[21] Appl. No.: **522,960**

[22] Filed: **May 14, 1990**

[30] **Foreign Application Priority Data**

Mar. 27, 1990 [CA] Canada ..... 2703902

[52] U.S. Cl. .... **D21/161**

[58] Field of Search ..... D21/161; 446/337, 340,  
446/372, 395

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 163,802 7/1951 Grooms ..... D21/161
- D. 291,906 9/1987 Riddle ..... D21/161
- 2,396,654 3/1946 Herrmann ..... D21/161
- 4,336,665 6/1982 Moreau .
- 4,413,442 11/1983 McSweeney .

**FOREIGN PATENT DOCUMENTS**

- 714759 8/1965 Canada ..... 446/340
- 1223735 7/1987 Canada .

**OTHER PUBLICATIONS**

Playthings, Mar. 1962, p. 318, Dog Figure.

*Primary Examiner*—Melvin B. Feifer

*Attorney, Agent, or Firm*—McFadden, Fincham, Marcus & Anissimoff


[57] **CLAIM**

The ornamental design for a stuffed toy dog figure, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the stuffed toy dog figure showing my new design;

FIG. 2 is a side elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a front elevational view of a variant form of FIG. 1;  
 FIG. 7 is a side elevational view of FIG. 6;  
 FIG. 8 is a front elevational view of a second embodiment of my new design;  
 FIG. 9 is a side elevational view of FIG. 8;  
 FIG. 10 is a front elevational view of a third embodiment of my new design;  
 FIG. 11 is a side elevational view of FIG. 10;  
 FIG. 12 is a front elevational view of a fourth embodiment of my new design;  
 FIG. 13 is a side elevational of FIG. 12;  
 FIG. 14 is a front elevational view of a variant form of FIG. 12;  
 FIG. 15 is a side elevational view of FIG. 14;  
 FIG. 16 is a front elevational view of a fifth embodiment of my new design;  
 FIG. 17 is a side elevational view of FIG. 16;  
 FIG. 18 is a front elevational view of a variant form of FIG. 16;  
 FIG. 19 is a side elevational view of FIG. 18;  
 FIG. 20 is a front elevational view of a sixth embodiment of my new design;  
 FIG. 21 is a side elevational view of FIG. 20;  
 FIG. 22 is a front elevational view of a variant form of FIG. 20;  
 FIG. 23 is a side elevational view of FIG. 22;  
 FIG. 24 is a front elevational view of a seventh embodiment of my new design;  
 FIG. 25 is a side elevational view of a variant form of FIG. 24; and,  
 FIG. 26 is a front elevational view of an eleventh variant of the design; and  
 FIG. 27 is a side elevational view of FIG. 26.  
 The opposite side of FIGS. 7, 9, 13, 17, 21 and 25 is essentially the same as that shown.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11

Fig. 12




Fig. 13



Fig. 14





Fig. 15








Fig. 16




Fig. 17



Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23

Fig. 24



Fig. 25



Fig. 26




Fig. 27

