



US00D331800S

United States Patent [19]
Han

[11] **Patent Number: Des. 331,800**
[45] **Date of Patent: ** Dec. 15, 1992**

[54] **FORCEPS**

[76] **Inventor: Johnny Han, 4F, No. 3-3, Lane 27,
Sec. 2, Chung Shan N. Rd., Taipei,
Taiwan**

[**] **Term: 14 Years**

[21] **Appl. No.: 566,711**

[22] **Filed: Aug. 13, 1990**

[52] **U.S. Cl. D24/143; D28/55**

[58] **Field of Search D24/143; D28/55;
294/99.2; 606/205-211**

468,746 2/1892 How 294/99.2 X
1,758,490 5/1930 Aderer 294/99.2
5,019,091 5/1991 Porat et al. 606/205
5,047,037 9/1991 Brandfield 606/211 X

*Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Ladas & Parry*

[57] **CLAIM**

The ornamental design for a forceps, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a forceps showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof (the right side being a mirror image thereof);
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 159,612 8/1950 Henkel D28/55
D. 221,707 8/1971 Shannon D24/143
D. 233,864 12/1974 McClure D28/55
D. 301,371 5/1989 Kaprelian D28/55 X






FIG. 1.




FIG. 3.




FIG. 2.



FIG. 4.



FIG. 5.



FIG. 6.