



US00D331800S

**United States Patent** [19]  
**Han**

[11] **Patent Number: Des. 331,800**  
[45] **Date of Patent: \*\* Dec. 15, 1992**

[54] **FORCEPS**

[76] **Inventor: Johnny Han, 4F, No. 3-3, Lane 27,  
Sec. 2, Chung Shan N. Rd., Taipei,  
Taiwan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 566,711**

[22] **Filed: Aug. 13, 1990**

[52] **U.S. Cl. .... D24/143; D28/55**

[58] **Field of Search ..... D24/143; D28/55;  
294/99.2; 606/205-211**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 159,612 8/1950 Henkel ..... D28/55
- D. 221,707 8/1971 Shannon ..... D24/143
- D. 233,864 12/1974 McClure ..... D28/55
- D. 301,371 5/1989 Kaprelian ..... D28/55 X

- 468,746 2/1892 How ..... 294/99.2 X
- 1,758,490 5/1930 Aderer ..... 294/99.2
- 5,019,091 5/1991 Porat et al. .... 606/205
- 5,047,037 9/1991 Brandfield ..... 606/211 X


*Primary Examiner—Louis S. Zarfes*  
*Attorney, Agent, or Firm—Ladas & Parry*

[57] **CLAIM**

The ornamental design for a forceps, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a forceps showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof (the right side being a mirror image thereof);  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.






FIG. 1.




FIG. 3.




FIG. 2.



FIG. 4.



FIG. 5.



FIG. 6.