



US00D331925S

# United States Patent [19]

[11] Patent Number: **Des. 331,925**

Sawada et al.

[45] Date of Patent: **\*\* Dec. 22, 1992**

[54] **FACSIMILE**

[75] Inventors: **Masaji Sawada**, Kyoto; **Akira Tsukada**, Osaka; **Kenzo Yoshida**; **Takeshi Kodera**, both of Nara, all of Japan

D. 296,334	6/1988	Hara	.....	D18/36
D. 305,775	1/1990	Tasada	.....	D18/36
D. 312,079	11/1990	Kosatsu	.....	D14/118
D. 316,254	4/1991	Sato	.....	D14/118
D. 323,160	1/1992	Udagawa	.....	D14/118

[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan

**OTHER PUBLICATIONS**

The Office, Oct. 1988, p. 39, Nitsuko model FX-E500.

[\*\*] Term: **14 Years**

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Nixon & Vanderhye

[21] Appl. No.: **795,086**

[22] Filed: **Nov. 20, 1991**

[57] **CLAIM**

The ornamental design for a facsimile, as shown and described.

[30] **Foreign Application Priority Data**

Jun. 6, 1991 [JP] Japan ..... 3-16857

**DESCRIPTION**

[52] U.S. Cl. .... **D14/118**

FIG. 1 is a top plan view of a facsimile showing our new design;

[58] Field of Search ..... D14/118, 124, 299;  
D18/36, 37; 358/400, 401

FIG. 2 is a front elevational view thereof;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 290,959 7/1987 Ooie ..... D14/118

FIG. 3 is a right side elevational view thereof;



FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof; and,

FIG. 6 is a bottom plan view thereof.




**FIG. 1**




**FIG. 2**


**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**

