



US00D331989S

United States Patent [19]

[11] Patent Number: **Des. 331,989**

Jonsson

[45] Date of Patent: **** Dec. 22, 1992**

[54] **HIP PAD FOR A CLEARING SAW HARNESS**

D. 280,250	8/1985	Vacanti	D29/10
2,785,407	3/1957	Reeder	D29/10
3,044,075	7/1962	Rawlings	D29/10

[75] Inventor: **Erik A. T. Jonsson, Brunflo, Sweden**

[73] Assignee: **Aktiebolaget Electrolux, Stockholm, Sweden**

Primary Examiner—A. Hugo Word
Assistant Examiner—Ruth McInroy
Attorney, Agent, or Firm—Pearne, Gordon, McCoy & Granger

[**] Term: **14 Years**

[21] Appl. No.: **387,889**

[57] **CLAIM**

[22] Filed: **Jul. 31, 1989**

The ornamental design for a hip pad for a clearing saw harness, as shown and described.

[30] **Foreign Application Priority Data**

Feb. 3, 1989	[SE]	Sweden	89-0282
[52]	U.S. Cl.		D29/10
[58]	Field of Search	D29/10, 20, 99; 2/2, 2/16, 17, 22, 24, 170; D24/155, 190-192, 189	


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 181,843	1/1958	Duhamel	D29/10
D. 280,145	8/1985	Vacanti	D29/10

FIG. 1 is a front elevational view of a hip pad for a clearing saw harness showing my new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is a right side elevational view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a rear elevational view thereof; and, FIG. 7 is a bottom, front and side perspective view thereof.






Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig. 7