



US00D331990S

United States Patent [19]

Burson

[11] Patent Number: Des. 331,990

[45] Date of Patent: ** Dec. 22, 1992

- [54] SCREEN COVERED BOX FOR REMOVING LITTER FROM ANIMAL PAWS
- [76] Inventor: Lucille E. Burson, 1553 Allison Cir., Rock Hill, S.C. 29732
- [**] Term: 14 Years
- [21] Appl. No.: 508,103
- [22] Filed: Apr. 11, 1990
- [52] U.S. Cl. D30/158; D9/341
- [58] Field of Search 119/3, 17, 161, 165-166, 119/167, 168, 6.5, 6.7, 174, 169; D30/108, 118, 158, 161-162, 199, 124; D11/155; D9/341; 52/101; 206/446; D7/550

[56] References Cited

U.S. PATENT DOCUMENTS

95,429	4/1935	James et al.	D9/341
D. 141,503	6/1945	Preis	D7/550
1,878,126	9/1932	Gates	52/101
2,971,493	2/1961	Robb	119/166
2,982,246	5/1961	Kidder	119/3
3,063,413	11/1962	Fuller et al.	119/174
3,246,630	4/1966	Dearing et al.	119/165
3,693,591	9/1972	Stasio	119/3
4,090,606	5/1978	Dawson	206/446
4,155,198	5/1979	Kelley	206/446
4,325,822	4/1982	Miller	119/166
4,517,920	5/1985	Yamamoto	119/166

FOREIGN PATENT DOCUMENTS

2596614	10/1987	France	119/6.7
190957	12/1963	Sweden	119/17

Primary Examiner—A. Hugo Word
Assistant Examiner—Cathy Anne MacCormac
Attorney, Agent, or Firm—Ralph H. Dougherty

[57] CLAIM

The ornamental design for a screen covered box for removing litter from animal paws, as shown and described.

DESCRIPTION

FIG. 1 is an perspective view of a screen covered box

for removing litter from animal paws showing my new design;

FIG. 2 is an exploded perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a top plan view of the bottom tray seen in FIG. 2;

FIG. 5 is a bottom plan view of FIG. 1;

FIG. 6 is an end elevational view thereof, the opposite end being identical to the end shown;

FIG. 7 is a side elevational view thereof, the opposite side being identical to the side shown;

FIG. 8 is a cross sectional view thereof taken along line 8—8 of FIG. 3;

FIG. 9 is a cross sectional view thereof taken along line 9—9 of FIG. 4;

FIG. 10 is an enlarged fragmentary view of one section of FIG. 8;

FIG. 11 is a rear elevational view of FIG. 13;

FIG. 12 is a left side elevational of FIG. 13, the right side being a mirror image of the left side shown;

FIG. 13 is a reduced top plan view of a second embodiment of FIG. 1;

FIG. 14 is a front elevational view of FIG. 13;

FIG. 15 is a bottom plan view of FIG. 13;

FIG. 16 is a rear elevational view of FIG. 18;

FIG. 17 is a left side elevational view of FIG. 18, the right side being identical to the side shown;

FIG. 18 is a reduced top plan view of a third embodiment of FIG. 1;

FIG. 19 is a front elevational view of FIG. 18;

FIG. 20 is a bottom plan view of FIG. 18;

FIG. 21 is a rear elevational view of FIG. 23;

FIG. 22 is a left side elevational view of FIG. 23;

FIG. 23 is a reduced top plan view of a fourth embodiment of FIG. 1;

FIG. 24 is a front elevational view of FIG. 23;

FIG. 25 is a bottom plan view of FIG. 23; and,

FIG. 26 is a perspective view of a fifth embodiment of FIG. 1, the side, front and bottom being the same as FIGS. 12, 14 and 15 except for the securing bars and screws.

It is understood that the screening material is continuous over the entire surface of FIGS. 1-3, 13, 18, 23 and 26 but is partially shown for ease of illustration.




Fig. 1





Fig. 2






Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7



Fig. 8



Fig. 9




Fig. 10



Fig. 11




Fig. 12

Fig. 13



Fig. 14




Fig. 15




Fig. 20




Fig. 17

Fig. 18







Fig. 16



Fig. 19






Fig. 26