



US00D332082S

# United States Patent [19]

Cordes et al.

[11] Patent Number: **Des. 332,082**

[45] Date of Patent: **\*\* Dec. 29, 1992**

[54] **BATTERY PLATE GRID**

[75] Inventors: **William A. Cordes**, West St. Paul;  
**Thomas J. Walker, Jr.**, Eagan, both  
of Minn.

[73] Assignee: **Mixon, Inc.**, St. Paul, Minn.

[\*\*] Term: **14 Years**

[21] Appl. No.: **864,081**

[22] Filed: **Apr. 6, 1992**

D. 285,917	9/1986	Anderson et al. ....	D13/121
D. 285,918	9/1986	Anderson et al. ....	D13/121
599,315	2/1898	Crowdus .....	429/243 X
696,171	3/1902	Hassler .....	29/2 X
1,571,333	2/1926	Hoiffman .....	429/241 X
2,465,493	3/1949	Strickhouser et al. ....	D13/121 X
3,249,981	5/1966	Sabatino .....	D13/121 X

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Joel Sincavage  
*Attorney, Agent, or Firm*—Hugh D. Jaeger

### Related U.S. Application Data

[63] Continuation of Ser. No. 434,106, Nov. 9, 1989, abandoned.

[52] U.S. Cl. .... **D13/121**

[58] Field of Search ..... D13/121; 429/147, 162,  
429/209, 233, 241, 242, 243; 29/2

### References Cited

#### U.S. PATENT DOCUMENTS


D. 56,652 11/1920 Cook ..... D13/121

[57] **CLAIM**

The ornamental design for a battery plate grid, as shown.

### DESCRIPTION

FIG. 1 is a front elevational view of a battery plate grid showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a perspective view thereof.






FIG. 1





FIG. 2



**FIG. 3**



FIG. 4



**FIG. 5**



**FIG. 6**




FIG. 7