



US00D332204S

United States Patent [19]

Carlson

[11] Patent Number: Des. 332,204
[45] Date of Patent: ** Jan. 5, 1993

[54] COMBINED CONTAINER LID AND CONVERTIBLE GRID

[75] Inventor: Arthur R. Carlson, East Malvern, Australia

[73] Assignee: The Decor Corporation Pty. Ltd., Scoresby, Australia

[**] Term: 14 Years

[21] Appl. No.: 648,449

[22] Filed: Jan. 31, 1991

[52] U.S. Cl. D7/629

[58] Field of Search D7/391, 392.1, 538, D7/542, 602, 612-615, 629; D9/424, 425, 430-432, 414; 220/305-306, 352, 355, 356, 574-575

[56] References Cited

U.S. PATENT DOCUMENTS

D. 50,818	5/1917	Miller .	
D. 189,148	11/1960	Willie	D44/1
D. 234,568	3/1975	Swett	D7/629
D. 239,692	4/1976	Ashton	D7/130
D. 273,214	3/1984	Argandona	D21/121
462,076	10/1891	Devoll .	
2,318,842	5/1943	Eaton	220/17
2,503,795	4/1950	Brown	99/426
2,698,783	10/1972	Swett et al.	312/351
2,822,640	2/1958	Fuller	45/28
3,392,845	7/1968	Shapiro et al.	210/470
3,589,554	6/1971	Smith	D7/629 X
3,756,681	9/1973	Croston	312/351
3,825,049	7/1974	Swett et al.	150/5

3,846,320	11/1974	Edwards	210/471
3,915,532	10/1975	Ashton	312/351
4,249,464	2/1981	Hansen	99/450
4,451,328	6/1969	Swett	99/269

FOREIGN PATENT DOCUMENTS

4195585 1/1986 Australia .

Primary Examiner—Terry A. Pfeffer

Attorney, Agent, or Firm—Thompson, Hine and Flory

[57] CLAIM

The ornamental design for a combined container lid and convertible grid, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a combined container, lid and convertible grid showing my new design;

FIG. 2 is a bottom, rear, left side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is an exploded perspective view thereof;

FIG. 8 is a top plan view of the grid portion;


FIG. 9 is a front elevational view of the grid portion;

FIG. 10 is a side elevational view of the grid portion;

FIG. 11 is a cross-sectional view taken along line 11—11 of FIG. 3; and,

FIG. 12 is a cross-sectional view taken along line 12—12 of FIG. 3.

The grid portion is shown separately for clarity of illustration.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5 -




FIG. 6 -




FIG. 7.




FIG. 8.

FIG. 10.







FIG. 9.



III. 11.



III. 12.