



US00D332221S

# United States Patent [19]

[11] Patent Number: **Des. 332,221**

Willems

[45] Date of Patent: **\*\* Jan. 5, 1993**

[54] **DETACHABLE SPOUT**

5,031,804 7/1991 Conrad ..... 222/566

[75] Inventor: **Dale D. Willems, Hutchinson, Kans.**

*Primary Examiner*—Bernard Ansher

[73] Assignee: **Snapco, Inc., Hutchinson, Kans.**

*Assistant Examiner*—Dominic Simone

[\*\*] Term: **14 Years**

*Attorney, Agent, or Firm*—Litman, McMahon & Brown

[21] Appl. No.: **632,743**

[57] **CLAIM**

The ornamental design for a detachable spout, as shown and described.

[22] Filed: **Dec. 24, 1990**

[52] U.S. Cl. .... **D9/447**

[58] Field of Search ..... **D9/434, 447; 222/566, 222/570, 573; 220/86.1-86.4**

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a detachable spout, showing my new design; the broken lines indicating a container are shown for illustrative purposes only;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a rear elevational view thereof; and,


FIG. 7 is a bottom plan view thereof.

FIGS. 2-7 are shown on an enlarged scale in relation to that shown in FIG. 1.


[56] **References Cited**

**U.S. PATENT DOCUMENTS**


D. 182,940	5/1958	Williams	.....	D9/447 X
D. 209,871	1/1968	Grebow	.....	D9/447
D. 277,827	3/1985	Olsson	.....	D9/447
D. 278,981	5/1985	Biermann	.....	D9/447
3,093,274	6/1963	Galbierz	.....	D9/447 X
4,129,236	12/1978	Wrycraft et al.	.....	222/570
4,227,629	10/1980	Froyman	.....	222/566




*Fig. 1.*




*Fig. 2.*




*Fig. 3.*





*Fig. 4.*



**Fig. 5.**



**Fig. 6.**



**Fig. 7.**