



US00D332258S

United States Patent [19]

Urushihara et al.

[11] Patent Number: **Des. 332,258**

[45] Date of Patent: **** Jan. 5, 1993**

[54] **COMBINED FACSIMILE TRANSCEIVER AND COPYING MACHINE**

D. 312,079 11/1990 Komatsu D14/118
D. 316,254 4/1991 Sato D14/118
D. 323,160 1/1992 Udagawa D14/118

[75] Inventors: **Atsuhiko Urushihara, Kokubunji; Kenta Kumagai, Tokyo; Sumie Komuro, Akishima; Taisuke Kashima, Urawa; Hideo Nakazawa, Yokohama, all of Japan**

OTHER PUBLICATIONS

The Office, Oct. 1988, p. 39, Nitsuko model FX-E500.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[73] Assignee: **Hitachi, Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[57] CLAIM

The ornamental design for a combined facsimile transceiver and copying machine, as shown and described.

[21] Appl. No.: **659,151**

[22] Filed: **Feb. 22, 1991**

DESCRIPTION

[30] Foreign Application Priority Data

Jan. 28, 1991 [JP] Japan 3-1463

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124. 299;
D18/36, 37; 358/400, 401

FIG. 1 is a top, front and right side perspective view of a combined facsimile transceiver and copying machine showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan elevational view thereof;

FIG. 5 is a right elevational view thereof;

FIG. 6 is a left elevational view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a top, front and right side perspective view thereof, shown with the cover in an open position and the paper cassette pulled out.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 290,959 7/1987 Ooie D14/118
D. 296,334 6/1988 Hara D18/36
D. 305,775 1/1990 Tamada D18/36





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

