



US00D332258S

United States Patent [19]

Urushihara et al.

[11] Patent Number: **Des. 332,258**

[45] Date of Patent: **** Jan. 5, 1993**

[54] **COMBINED FACSIMILE TRANSCEIVER AND COPYING MACHINE**

D. 312,079	11/1990	Komatsu	D14/118
D. 316,254	4/1991	Sato	D14/118
D. 323,160	1/1992	Udagawa	D14/118

[75] Inventors: **Atsuhiko Urushihara**, Kokubunji; **Kenta Kumagai**, Tokyo; **Sumie Komuro**, Akishima; **Taisuke Kashima**, Urawa; **Hideo Nakazawa**, Yokohama, all of Japan

OTHER PUBLICATIONS

The Office, Oct. 1988, p. 39, Nitsuko model FX-E500.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Antonelli, Terry, Stout & Kraus

[73] Assignee: **Hitachi, Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **659,151**

The ornamental design for a combined facsimile transceiver and copying machine, as shown and described.

[22] Filed: **Feb. 22, 1991**

DESCRIPTION

[30] Foreign Application Priority Data

Jan. 28, 1991 [JP] Japan 3-1463

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 124, 299;
D18/36, 37; 358/400, 401

FIG. 1 is a top, front and right side perspective view of a combined facsimile transceiver and copying machine showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan elevational view thereof;

FIG. 5 is a right elevational view thereof;

FIG. 6 is a left elevational view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a top, front and right side perspective view thereof, shown with the cover in an open position and the paper cassette pulled out.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 290,959	7/1987	Ooie	D14/118
D. 296,334	6/1988	Hara	D18/36
D. 305,775	1/1990	Tamada	D18/36





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

