



US00D332295S

United States Patent [19]

Barrett

[11] Patent Number: **Des. 332,295**

[45] Date of Patent: **** Jan. 5, 1993**

[54] **LIQUID FILLABLE BOMB BLAST INHIBITOR**

[76] Inventor: **Garth J. M. Barrett, 35 De Wet Street, Northcliff, Transvaal Province, South Africa**

[**] Term: **14 Years**

[21] Appl. No.: **366,416**

[22] Filed: **Jun. 15, 1989**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 356,840, May 25, 1989.

[52] U.S. Cl. **D22/112**

[58] Field of Search **D22/112; 102/303; 109/15; 86/50**

[56] References Cited

U.S. PATENT DOCUMENTS

3,814,016	6/1974	Leach et al.	102/303
4,478,126	10/1984	Holmlund et al.	86/50
4,836,079	6/1989	Barrett	86/50


Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham
Attorney, Agent, or Firm—Stevens, Davis, Miller & Mosher

[57] CLAIM

The ornamental design for a liquid fillable bomb blast inhibitor, as shown and described.

DESCRIPTION

FIG. 1 is an exploded perspective view of a liquid fillable bomb blast inhibitor showing my new design; FIG. 2 is a side elevational view thereof with the lid raised and with the opposite side being a mirror image thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view; and, FIG. 5 is a perspective view thereof fully assembled.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5