



US00D332350S

United States Patent [19]

[11] Patent Number: **Des. 332,350**

Anderson

[45] Date of Patent: **** Jan. 12, 1993**

[54] **SPORTS BALL CARRYING AND STORING DEVICE**

[76] Inventor: **Larry J. Anderson**, 460 Pinehurst Dr., Rochester Hills, Mich. 48309

[**] Term: **14 Years**

[21] Appl. No.: **281,474**

[22] Filed: **Dec. 8, 1988**

[52] U.S. Cl. **D3/104; D3/100**

[58] Field of Search **D3/103, 100, 101, 36, D3/104, 105, 99, 36; 211/88; 224/252, 253, 919, 918, 901, 235, 219, 202, 207, 264, 258, 250, 257; D2/627; 206/315.9, 315.1; 273/58 C, 189 R; D21/62; 119/96, 109; 294/150**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 242,402	11/1976	Bratene	D3/104
D. 258,021	1/1981	Bonaventula	D3/104
3,023,941	3/1962	Foley	224/205
3,157,962	11/1964	Bonnely	273/58 C
3,351,343	11/1967	Papp	273/58 C

3,709,491	1/1973	Minchin	273/58 C
4,061,256	12/1977	Beer et al.	224/919 X
4,147,353	4/1979	Moore	273/58 C
4,247,117	1/1981	Reichert	273/58 CX
4,790,462	12/1980	Kawaguchi	224/202 X
4,815,642	3/1989	Ray	294/150 X


Primary Examiner—Donald P. Walsh
Assistant Examiner—M. N. Pandozzi

[57] **CLAIM**

The ornamental design for a sports ball carrying and storing device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a sports ball carrying and storing device;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a right side elevational view, the left side elevational view being a mirror image thereof.
The broken line showing of a ball in FIGS. 1-5 is for illustrative purposes only and forms no part of the claimed design.






Fig-1




Fig-2




Fig-3




Fig-4




Fig-5