



US00D332437S

United States Patent [19]

[11] Patent Number: **Des. 332,437**

Lay, Jr.

[45] Date of Patent: **** Jan. 12, 1993**

[54] **COMBINED ARTICLE CAB AND ROD BAR SAFETY CAGE**

4,621,859 11/1986 Spicher 296/77.1
4,773,694 9/1988 Gerber 296/77.1
5,058,943 10/1991 Louderback 296/78.1

[76] Inventor: **John Lay, Jr.**, Rte. 9, Box 27,
Glencoe, Ala. 35905

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Terry M. Gernstein

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **523,922**

The ornamental design for a combined vehicle cab and roll bar safety cage, as shown and described.

[22] Filed: **May 16, 1990**

[52] U.S. Cl. **D12/156**

[58] Field of Search **D12/156; D34/37;**
D15/36; 296/77.1, 78.1, 79, 190, 102; 28/756

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 291,676	9/1987	Noble	D12/156
D. 292,504	10/1987	Racicot	D12/156
D. 292,566	11/1987	Racicot	D12/156
3,610,677	10/1971	Hawley et al.	296/190
3,933,371	1/1976	Graham	280/150 C
4,135,591	1/1979	Eberle	180/5 R
4,585,268	4/1986	Downing	296/102

FIG. 1 is an exploded perspective view of a combined vehicle cab and roll bar safety cage showing my new design;

FIG. 2 is a rear elevation view of the vehicle cab thereof shown separately for convenience of illustration;


FIG. 3 is a front elevation view of FIG. 2;

FIG. 4 is a side elevation view of FIG. 2;

FIG. 5 is an opposite side elevation view of FIG. 2;

FIG. 6 is a top plan view of FIG. 2; and,

FIG. 7 is a bottom plan view thereof.






FIG. 1

FIG. 5




FIG. 7




FIG. 2




FIG. 4




FIG. 6




FIG. 3

