



US00D332506S

United States Patent [19]

Reeves

[11] Patent Number: **Des. 332,506**

[45] Date of Patent: **** Jan. 12, 1993**

[54] **COMBAT HARNESS**

[76] Inventor: **Rick E. Reeves**, 204 W. 9th St.,
Pittsburg, Kans. 66762

[**] Term: **14 Years**

[21] Appl. No.: **390,347**

[22] Filed: **Aug. 7, 1989**

[52] U.S. Cl. **D29/11**

[58] Field of Search **D29/10, 11, 99; 2/44,
2/45, 2, 16, 268, 92, 94, 102; D2/183, 184, 187,
189, 190**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 296,835	7/1988	Jones, III	D2/190
D. 316,472	4/1991	Flanagan	D2/190
45,469	12/1864	Blakeslee	.	
523,177	7/1894	Rice	.	
667,082	1/1901	Gibson	.	
745,866	12/1903	Laing	.	
801,076	10/1905	Gibson	.	
876,181	1/1908	Batchelder	.	
1,110,694	9/1914	Jennings	.	

4,998,654	3/1991	Bruzek et al.	2/102
5,011,334	4/1991	Vorhauer	2/16



Primary Examiner—A. Hugo Word
Assistant Examiner—Ruth McInroy
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a combat harness, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a combat harness showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a side elevational view thereof, the opposite side being a mirror image;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a front perspective view of a second embodiment thereof;
FIG. 7 is a top plan view thereof;
FIG. 8 is a front elevational view thereof;
FIG. 9 is a side elevational view thereof, the opposite side being a mirror image; and,
FIG. 10 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10