



US00D332604S

United States Patent [19]

Miyake et al.

[11] Patent Number: **Des. 332,604**

[45] Date of Patent: **** Jan. 19, 1993**

[54] COMPUTER INPUT AND OUTPUT TERMINAL

[75] Inventors: **Takao Miyake; Masayoshi Kawaishi; Katsuhiko Ishida**, all of Nara, Japan

[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **677,978**

[22] Filed: **Apr. 1, 1991**

[30] Foreign Application Priority Data

Oct. 4, 1990 [JP]	Japan	2-33702
Oct. 4, 1990 [JP]	Japan	2-33703
Oct. 4, 1990 [JP]	Japan	2-33709

[52] U.S. Cl. **D14/100; D18/7**

[58] Field of Search **D14/100, 105, 106, 107, D14/137; D18/1, 7, 11, 12; 340/700, 706, 711, 712; 341/22, 23; 235/145 A, 145 R; 364/706, 708**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 280,507	9/1985	Claxton et al.	D14/137
D. 283,711	5/1986	Deura et al.	D14/100
D. 292,709	11/1987	Kosako	D14/100
D. 302,265	7/1989	Siegner et al.	D14/100
D. 312,622	12/1990	Alden et al.	D14/100

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Nixon & Vanderhye

[57] CLAIM

The ornamental design for a computer input and output terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front right side and rear end perspective view of a computer input and output terminal showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front end elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a rear end elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front and right side perspective view of a second embodiment thereof;
 FIG. 9 is a top plan view thereof;
 FIG. 10 is a right side elevational view thereof;
 FIG. 11 is a bottom plan view thereof;
 FIG. 12 is a left side elevational view thereof;
 FIG. 13 is a front right side perspective view of a third embodiment thereof;
 FIG. 14 is a top plan view thereof;
 FIG. 15 is a right side elevational view thereof;
 FIG. 16 is a bottom plan view thereof;
 FIG. 17 is a left side elevational view thereof;
 FIG. 18 is a rear end elevational view thereof; and
 FIG. 19 is a front end elevational view thereof.

The undisclosed front and rear end elevational views of the second embodiment are identical in appearance to those of the first embodiment.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 10




FIG. 9




FIG. 12




FIG. 11




FIG. 13




FIG. 14




FIG. 16




FIG. 15




FIG. 17




FIG. 18



FIG. 19

