



US00D332608S

# United States Patent [19]

[11] Patent Number: **Des. 332,608**

Masagaki

[45] Date of Patent: **\*\* Jan. 19, 1993**

[54] **COMBINED MICROPHONE, SPEAKER AND AMPLIFIER**

[75] Inventor: **Yoshihiro Masagaki, Kanagawa, Japan**

[73] Assignee: **Sony Corporation, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **560,330**

[22] Filed: **Jul. 31, 1990**

[30] **Foreign Application Priority Data**

Feb. 5, 1990 [JP] Japan ..... 2-3187

[52] U.S. Cl. .... **D14/226; D14/186; D14/187**

[58] **Field of Search** ..... **D14/225-229, D14/204, 206, 185, 186, 187; 381/91, 122, 155, 159, 168, 169, 170; D16/225; 379/420, 444**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 182,820 5/1958 Kamp ..... D14/225

D. 185,860 8/1959 Armstrong et al. .... D14/227  
D. 296,781 7/1988 Kohno ..... D14/227  
D. 321,692 11/1991 Siddoway et al. .... D14/226  
3,626,617 12/1971 Frey ..... D16/225  
4,527,019 7/1985 Lemp ..... 381/169


*Primary Examiner*—Melvin B. Feifer  
*Attorney, Agent, or Firm*—Lewis H. Eslinger; Jay H. Maioli

[57] **CLAIM**


The ornamental design for a combined microphone, speaker and amplifier, as shown.

**DESCRIPTION**


FIG. 1 is a top, front and right-side perspective view of a combined microphone, speaker and amplifier showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left-side elevational view thereof;  
FIG. 5 is a right-side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.




*FIG. 1*




*FIG. 2*




*FIG. 3*






*FIG. 4*




*FIG. 5*





*FIG. 6*



*FIG. 7*