



US00D332750S

United States Patent [19]

Moloney et al.

[11] Patent Number: Des. 332,750

[45] Date of Patent: ** Jan. 26, 1993

[54] CAN

[75] Inventors: Thomas E. Moloney, Wheaton;
Nelson N. Chernikoff, Richton Park;
Edward K. Cassidy, Palatine; John M.
Mann, Downers Grove, all of Ill.

[73] Assignee: American National Can Company,
Chicago, Ill.

[**] Term: 14 Years

[21] Appl. No.: 351,769

[22] Filed: May 12, 1989

Related U.S. Application Data

[60] Continuation-in-part of Ser. No. 945,314, Dec. 22,
1986, Pat. No. Des. 306,972, which is a division of Ser.
No. 594,610, Mar. 24, 1984, Pat. No. Des. 290,688,
which is a continuation-in-part of Ser. No. 523,514,
Aug. 15, 1983, Pat. No. Des. 283,011.

[52] U.S. Cl. D9/556; D9/518

[58] Field of Search D9/368, 398, 399;
220/906, 669-675

[56] References Cited

U.S. PATENT DOCUMENTS

2,005,641	6/1935	Stanitz	220/671
3,558,001	1/1971	Fritz et al.	D9/398 X
4,685,582	8/1987	Pulciani et al.	220/606

Primary Examiner—Bernard Ansher

Assistant Examiner—C. Tuttle

Attorney, Agent, or Firm—Robert A. Stenzel

[57] CLAIM

The ornamental design for a can, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a can showing our new design, the top portion being omitted for clarity of illustration;

FIG. 2 is a side elevational view thereof, the side opposite being identical to the side shown;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a cross-sectional view taken along line 5—5 of FIG. 2;

FIG. 6 is a top perspective view shown with the top portion in place;

FIG. 7 is a side elevational view thereof, the side opposite being identical to the side shown;

FIG. 8 is a top plan view thereof;

FIG. 9 is a bottom plan view thereof; and,

FIG. 10 is a cross-sectional view taken on the line 10—10 of FIG. 7.

The broken lines showing the can tab in FIGS. 6 and 8 are for illustrative purposes only and form no part of the claimed design.

The characteristic feature of the design resides in the specific configuration of the flutes in combination with the can.





FIG. 1.




FIG. 2.




FIG. 3.




FIG. 5.




FIG. 4.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 10.




FIG. 9.

