



US00D332751S

# United States Patent [19]

[11] Patent Number: **Des. 332,751**

Pischulti et al.

[45] Date of Patent: **\*\* Jan. 26, 1993**

[54] **COMBINED JAR AND CAP**

[56] **References Cited**

[75] Inventors: **Markus Pischulti**, Munich; **Karl Schellhaass**, Bremen, both of Fed. Rep. of Germany; **Hajime Tajima**, Ichikawa, Japan; **Taku Satoh**, Kawasaki, Japan; **Kazuo Honda**, Tokyo, Japan

### U.S. PATENT DOCUMENTS

D. 6,528 3/1873 Muller ..... D9/560  
D. 236,433 8/1975 Strand ..... D9/500  
D. 267,076 11/1982 Hurtig ..... D9/560 X

[73] Assignee: **Kraft General Foods Ltd.**, Cheltenham, United Kingdom

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Lucy Lieberman  
*Attorney, Agent, or Firm*—Linn I. Grim

[\*\*] Term: **14 Years**

### [57] CLAIM

The ornamental design for a combined jar and cap, as shown and described.

[21] Appl. No.: **637,101**

### DESCRIPTION

[22] Filed: **Jan. 3, 1991**

FIG. 1 is a top plan view of a combined jar and cap showing our new design;

FIG. 2 is a front elevational view thereof, the rear and side elevational views are the same;

### [30] Foreign Application Priority Data

Jul. 3, 1990 [GB] United Kingdom ..... 2007954

FIG. 3 is an elevational view as seen in the direction of arrow III in FIG. 1;

[52] U.S. Cl. .... **D9/560; D9/573**

FIG. 4 is a bottom plan view thereof; and,

[58] Field of Search ..... D9/452, 453, 560, 573, D9/574, 500, 558; 215/1 R, 1 C

FIG. 5 is a front elevation of the combined jar and cap shown in an exploded condition.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.

