



US00D332751S

# United States Patent [19]

Pischulti et al.

[11] Patent Number: Des. 332,751

[45] Date of Patent: \*\* Jan. 26, 1993

[54] COMBINED JAR AND CAP

[75] Inventors: Markus Pischulti, Munich; Karl Schellhaass, Bremen, both of Fed. Rep. of Germany; Hajime Tajima, Ichikawa, Japan; Taku Satoh, Kawasaki, Japan; Kazuo Honda, Tokyo, Japan

[73] Assignee: Kraft General Foods Ltd., Cheltenham, United Kingdom

[\*\*] Term: 14 Years

[21] Appl. No.: 637,101

[22] Filed: Jan. 3, 1991

[30] Foreign Application Priority Data

Jul. 3, 1990 [GB] United Kingdom ..... 2007954

[52] U.S. Cl. .... D9/560; D9/573

[58] Field of Search ..... D9/452, 453, 560, 573, D9/574, 500, 558; 215/1 R, 1 C

[56]

## References Cited

### U.S. PATENT DOCUMENTS

D. 6,528 3/1873 Muller ..... D9/560  
D. 236,433 8/1975 Strand ..... D9/500  
D. 267,076 11/1982 Hurtig ..... D9/560 X

Primary Examiner—Bernard Ansher  
Assistant Examiner—Lucy Lieberman  
Attorney, Agent, or Firm—Linn I. Grim

[57]

## CLAIM

The ornamental design for a combined jar and cap, as shown and described.

## DESCRIPTION

FIG. 1 is a top plan view of a combined jar and cap showing our new design;  
FIG. 2 is a front elevational view thereof, the rear and side elevational views are the same;  
FIG. 3 is an elevational view as seen in the direction of arrow III in FIG. 1;  
FIG. 4 is a bottom plan view thereof; and,  
FIG. 5 is a front elevation of the combined jar and cap shown in an exploded condition.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.

