



US00D332768S

United States Patent [19]

Giard, Jr.

[11] Patent Number: Des. 332,768

[45] Date of Patent: ** Jan. 26, 1993

[54] COMBINED AUXILIARY BAR AND ARM RESTS FOR ATTACHMENT TO A BICYCLE HANDLE BAR

[75] Inventor: Edward H. Giard, Jr., Oak Park, Ill.

[73] Assignee: Profile for Speed, Chicago, Ill.

[*] Notice: The portion of the term of this patent subsequent to Mar. 12, 2005 has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 602,869

[22] Filed: Oct. 24, 1990

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 373,776, Jun. 29, 1989.

[52] U.S. Cl. D12/178

[58] Field of Search D12/178; 280/261, 288.4; 74/551.1, 551.8, 552, 558

[56] References Cited

U.S. PATENT DOCUMENTS

D. 315,328	3/1991	Giard, Jr.	D12/178
574,751	1/1897	Newman	74/551.1
1,445,995	2/1923	Carlson	74/551.8
4,250,770	2/1981	Robertson, Jr.	74/551.8
4,750,759	1/1987	Lennon	280/261
4,771,649	9/1988	Modolo	74/551.1
4,873,886	10/1989	Renner	74/551.1
4,951,525	8/1990	Borromeo	74/551.1
5,000,469	3/1991	Smith	280/261

OTHER PUBLICATIONS

American Bicyclist & Motorcyclist, Mar. 1990, p. 66, The Sarkbar and Mavic Handlebars.

American Bicyclist & Motorcyclist, Aug. 1990, p. 53, The Tribar Handlebar by Jon Ding Enterprise Co., Ltd.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Melody Brown

Attorney, Agent, or Firm—Kinzer, Plyer, Dorn, McEachran & Jambor

[57] CLAIM

The ornamental design for a combined auxiliary bar and arm rests for attachment to a bicycle handle bar, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of a combined auxiliary bar and arm rests for attachment to a bicycle handlebar showing my new design, the right side being a mirror image of that shown;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view of a combined auxiliary bar and arm rests for attachment to a bicycle handlebar showing a second embodiment of my new design, the right side being a mirror image of that shown;

FIG. 7 is a rear elevational view of FIG. 6;

FIG. 8 is a top plan view of FIG. 6;

FIG. 9 is a front elevational view of FIG. 6;

FIG. 10 is a bottom plan view of FIG. 6;

FIG. 11 is a left side elevational view of a combined auxiliary bar and arm rests for attachment to a bicycle handlebar showing a third embodiment of my new design, the right side being a mirror image of that shown;

FIG. 12 is a rear elevational view of FIG. 11;

FIG. 13 is a top plan view of FIG. 11;

FIG. 14 is a front elevational view of FIG. 11;

FIG. 15 is a bottom plan view of FIG. 11;


FIG. 16 is a left side elevational view of a combined auxiliary bar and arm rests for attachment to a bicycle handlebar showing a fourth embodiment of my new design, the right side being a mirror image of that shown;

FIG. 17 is a rear elevational view of FIG. 16;

FIG. 18 is a top plan view of FIG. 16;

FIG. 19 is a front elevational view of FIG. 16; and,

FIG. 20 is a bottom plan view of FIG. 16.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.




Fig. 14.




Fig. 15.




Fig. 16.




Fig. 17.




Fig. 18.




Fig. 19.




Fig. 20.