



US00D333085S

# United States Patent [19]

[11] Patent Number: **Des. 333,085**

Thomsen

[45] Date of Patent: **\*\* Feb. 9, 1993**

[54] **MOUNTING BRACKET**

[76] Inventor: **Frede L. Thomsen, Norre Port 13, DK-8000 Aarhus C, Denmark**

[\*\*] Term: **14 Years**

[21] Appl. No.: **673,894**

[22] Filed: **Mar. 25, 1991**

[30] **Foreign Application Priority Data**

Sep. 24, 1990 [DK] Denmark ..... 1130/90  
 [52] U.S. Cl. .... **D8/373; D8/349**  
 [58] Field of Search ..... **D8/373, 354, 349; 248/489, 222.4; D6/300**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

85,738	1/1869	Gridley .....	248/489
160,754	3/1875	Dobbs et al. ....	248/489
D. 181,150	10/1957	Horn .....	D6/300
D. 181,471	11/1957	Hebenlein .....	D6/553
D. 251,966	5/1979	Wallace .....	D8/354
D. 298,510	11/1988	Marsh .....	D6/300
458,711	9/1891	Green .....	248/489
769,794	9/1904	Fowler .....	248/489
1,133,209	3/1915	Wolke .....	248/489
3,861,639	1/1975	Morrill .....	248/489
4,356,647	11/1982	Farris .....	D6/300

*Primary Examiner*—Horace B. Fay, Jr.  
*Attorney, Agent, or Firm*—Larson and Taylor

[57] **CLAIM**

The ornamental design for a mounting bracket, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view, viewed from beneath and to the left, of a mounting bracket showing my new design;

FIG. 2 is a rear perspective view of FIG. 1, taken from above and to the left;

FIG. 3 is a left end elevational view of FIG. 2;

FIG. 4 is a perspective view similar to FIG. 1 but with the hanger element omitted;

FIG. 5 is an enlarged front perspective view, taken from beneath and to the left, of the hanger element of FIG. 1;


FIG. 6 is an enlarged rear perspective view, taken from above and to the left, of the hanger element of FIG. 1;

FIG. 7 is a left side elevational view of FIG. 6; and

FIG. 8 is a top plan view of FIG. 6.

The side elevational views opposite to FIGS. 3 and 7 are mirror images thereof.

The design is for a mounting bracket, the main portion of which fits onto an object such as a brick, and including a separable hanger unit which, when mounted on the main portion includes an in-curving groove.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8