



US00D333093S

United States Patent [19]

[11] Patent Number: **Des. 333,093**

Rehrig et al.

[45] Date of Patent: **** Feb. 9, 1993**

[54] **DIVIDER FOR BOTTLES OR THE LIKE**

[75] Inventors: **J. B. Rehrig, Rancho Palos Verdes, Calif.; Terry J. Nigrelli, Kiel, Wis.; Arne Lang-Ree, Manhattan Beach, Calif.**

[73] Assignee: **Rehrig-Pacific Company, Inc., Los Angeles, Calif.**

[**] Term: **14 Years**

[21] Appl. No.: **410,249**

[22] Filed: **Sep. 19, 1989**

[52] U.S. Cl. **D9/341; D34/40**

[58] Field of Search **D34/40-46; 206/509, 511, 503, 512, 203, 499, 557, 561, 564, 427; 220/507, 509; D9/341-347, 456**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 98,200 1/1936 Worthington .
- D. 201,257 6/1965 Vidal .
- D. 259,917 7/1981 Horsting .
- D. 284,841 7/1986 Rowland et al. D34/40 X
- 820,445 5/1906 Speer 220/509
- 3,184,148 5/1965 Poupitch .
- 3,245,573 4/1966 Bakos .
- 3,363,802 1/1968 Cornelius .
- 3,367,529 2/1968 Welch et al. .
- 3,368,709 2/1968 Waller .
- 3,392,869 7/1968 Needt .
- 3,517,852 6/1970 Schoeller .
- 3,578,235 5/1971 Weiss .
- 3,752,385 8/1973 Woodgate .
- 3,791,549 2/1974 Delbrouck et al. .
- 3,919,379 11/1975 Smarook .
- 4,053,099 10/1977 Lock 206/562
- 4,098,403 7/1978 Davis .
- 4,242,834 1/1981 Olsen .
- 4,314,650 2/1982 Cillario .
- 4,349,109 9/1982 Scordato et al. .
- 4,549,656 10/1985 Barnes et al. .
- 4,567,981 2/1986 Headon .
- 4,618,059 10/1986 Cochran 206/511 X
- 4,671,405 6/1987 Hagan .
- 4,711,355 12/1987 Veenman 206/512 X
- 4,884,683 12/1989 Ford 206/512 X

- 4,884,690 12/1989 Klenter et al. 206/511 X
- 4,911,300 3/1990 Colonna .
- 4,911,303 3/1990 Andersson .
- 4,932,532 6/1990 Apps et al. .

FOREIGN PATENT DOCUMENTS

- 2819678 8/1979 Fed. Rep. of Germany .
- 1224622 6/1960 France .
- 1443571 5/1966 France .
- 1534869 6/1968 France .
- 2381666 2/1977 France .
- 119943 of 1970 Norway .
- 573850 3/1976 Sweden .
- 1221397 2/1971 United Kingdom .


Primary Examiner—Melvin B. Feifer
Assistant Examiner—Prabhakar Deshmukh

[57] **CLAIM**

The ornamental design for a divider for bottles or the like, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a divider for bottles or the like showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevation thereof; the rear elevation being a mirror image thereof;
 FIG. 5 is a left side elevation thereof; the right side elevation being a mirror image thereof;
 FIG. 6 is a perspective view of a second embodiment of FIG. 1;
 FIG. 7 is a top plan view of FIG. 6;
 FIG. 8 is a bottom plan view of FIG. 6.
 FIG. 9 is a front elevation of FIG. 6; the rear elevational being a mirror image thereof;
 FIG. 10 is a left side elevation of FIG. 6; the right side elevation being a mirror image thereof;
 FIG. 11 is a perspective view of a third embodiment of FIG. 1;
 FIG. 12 is a top plan view of FIG. 11;
 FIG. 13 is a bottom plan view of FIG. 11;
 FIG. 14 is a front elevation of FIG. 11; the rear elevation being a mirror image thereof; and,
 FIG. 15 is a left side elevation of FIG. 11; the right side elevation being a mirror image thereof.






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

