



US00D333116S

# United States Patent [19]

Amero

[11] Patent Number: Des. 333,116

[45] Date of Patent: \*\* Feb. 9, 1993

[54] PENUMATIC TIRE TREAD AND BUTTRESS

[75] Inventor: Norman G. Amero, Oak Ridge, Tenn.

[73] Assignee: Dico Tire, Inc., Clinton, Tenn.

[\*\*] Term: 14 Years

[21] Appl. No.: 495,904

[22] Filed: Mar. 20, 1990

[52] U.S. Cl. .... D12/146

[58] Field of Search ..... D12/136, 137, 146-151;  
152/209 R, 209 B, 209 D

[56] References Cited

## U.S. PATENT DOCUMENTS

D. 237,374 10/1975 Hutz et al. .... D12/136  
D. 308,842 6/1990 Hitzky et al. .... D12/147  
D. 308,843 6/1990 Hitzky et al. .... D12/147

## OTHER PUBLICATIONS

1990 Tread Design Guide, p. 44, Laramie Fulda Y-2000 Tire, bottom left side of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Laubscher & Laubscher


[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a pneumatic tire tread and buttress embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, as shown schematically by solid lines, and that the buttress pattern is repeated on the opposite side; and, FIG. 2 is an enlarged, fragmentary development plan view of the tread and buttress of FIG. 1.

The broken line showing of environmental structure in FIG. 1 of the drawing is for illustrative purposes only and forms no part of the claimed design.






FIG. 1






FIG. 2