



US00D333151S

**United States Patent** [19]  
**Hochfeld**

[11] **Patent Number: Des. 333,151**  
[45] **Date of Patent: \*\* Feb. 9, 1993**

- [54] **COMBINED PEN AND HOLDER THEREFOR**
- [75] **Inventor: Stanley Hochfeld, Howard Beach, N.Y.**
- [73] **Assignees: Chuck Perl, Valley Stream; Leonard Holtz, Oceanside, both of N.Y. ; part interest to each**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 496,505**
- [22] **Filed: Mar. 20, 1990**
- [52] **U.S. Cl. .... D19/36; D19/44; D19/49; D19/51; D19/82**
- [58] **Field of Search .... D19/35, 36, 41-51, D19/54-58, 81-85; 401/52, 88, 196, 199, 202, 195**

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

|            |         |            |       |          |
|------------|---------|------------|-------|----------|
| D. 11,795  | 6/1880  | Fairchild  | ..... | D19/44   |
| D. 76,034  | 8/1928  | Morgan     | ..... | D19/44 X |
| D. 190,700 | 6/1961  | Cline      | ..... | D19/84 X |
| D. 199,216 | 9/1964  | Chadbourn  | ..... | D19/84 X |
| D. 202,674 | 10/1965 | Dales      | ..... | D19/44   |
| D. 202,843 | 11/1965 | Dales      | ..... | D19/44 X |
| D. 220,410 | 4/1971  | Lee et al. | ..... | D19/49   |
| D. 254,856 | 4/1980  | Bajusz     | ..... | D19/51 X |
| D. 292,598 | 11/1987 | Anastos    | ..... | D19/90   |


*Primary Examiner*—Nelson C. Holtje


*Assistant Examiner*—Martha Thompson  
*Attorney, Agent, or Firm*—Frishauf, Holtz, Goodman & Woodward

[57] **CLAIM**  
The ornamental design for a combined pen and holder therefor, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of a combined pen and holder therefor showing my new design, the rear view being a mirror image thereof;  
 FIG. 2 is a right side elevational view thereof, the left side elevational view being a mirror image;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a right side elevational view of a second embodiment of my new design, the left side being a mirror image thereof;  
 FIG. 6 is a bottom plan view of FIG. 5;  
 FIG. 7 is a front elevational view of a third embodiment of my new design, the rear view being a mirror image thereof;  
 FIG. 8 is a right side elevational view of FIG. 7;  
 FIG. 9 is a top plan view of FIG. 7; and,  
 FIG. 10 is a bottom plan view of FIG. 7.  
 The front elevational view of FIG. 5 is identical to FIG. 1 and the top plan view of FIG. 5 is identical to FIG. 3. The cord member has been shown broken away in all views for the purpose of indicating indeterminate length.







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*



*Fig. 8*



*Fig. 9*



*Fig. 10*