



US00D333286S

United States Patent [19]

Rogers et al.

[11] Patent Number: **Des. 333,286**

[45] Date of Patent: **** Feb. 16, 1993**

[54] **VEHICLE TIRE**

[75] Inventors: **Dean E. Rogers, Clinton; Neal G. Sehm, Akron; Ilya W. Veklseman, Akron; Peter D. Yahner, Akron, all of Ohio**

[73] Assignee: **General Tire, Inc., Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **740,191**

[22] Filed: **Aug. 2, 1991**

[52] U.S. Cl. **D12/146**

[58] Field of Search **D12/137, 140, 141-143, D12/145-151; 152/209 R, 209 B, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 279,365	6/1985	Takehara	D12/145
D. 307,121	4/1990	Messer	D12/147
D. 316,385	4/1991	Marriott	D12/146

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Calfee, Halter & Griswold

[57] **CLAIM**

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire embodying our new design, it being understood that the pattern is repeated throughout the circumference of the tire, as shown schematically by solid lines the opposite side being substantially the same as that shown; and, FIG. 2 is a front elevation view of the tire of FIG. 1.




FIG. 1




FIG. 2

