



US00D333288S

# United States Patent [19]

Rogers et al.

[11] Patent Number: **Des. 333,288**

[45] Date of Patent: **\*\* Feb. 16, 1993**

[54] **VEHICLE TIRE**

[75] Inventors: **Dean E. Rogers, Clinton; Neal G. Sehm, Akron; Ilya W. Veklseman, Akron; Peter D. Yahner, Akron, all of Ohio**

[73] Assignee: **General Tire, Inc., Akron, Ohio**

[\*\*] Term: **14 Years**

[21] Appl. No.: **740,203**

[22] Filed: **Aug. 2, 1991**

[52] U.S. Cl. .... **D12/146**

[58] Field of Search ..... **D12/136, 137, 138, 140, D12/141-143, 145-151; 152/209 R, 209 B, 209 D**

[56] **References Cited**

### U.S. PATENT DOCUMENTS

- D. 279,465 7/1985 Nishio et al. .... D12/147
- D. 313,212 12/1990 Hamada et al. .... D12/147
- D. 322,589 12/1991 Nakatani ..... D12/147

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Calfee, Halter & Griswold

[57] **CLAIM**

The ornamental design for a vehicle tire, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire embodying our new design, it being understood that the pattern is repeated throughout the circumference of the tire, as shown schematically by solid lines the opposite side being substantially the same as that shown; and, FIG. 2 is a front elevation view of the tire of FIG. 1.




FIG. 1




FIG. 2

