



US00D333302S

# United States Patent [19]

[11] Patent Number: **Des. 333,302**

**Ebihara et al.**

[45] Date of Patent: **\*\* Feb. 16, 1993**

[54] **FACSIMILE TRANSCEIVER**

[75] Inventors: **Toru Ebihara, Higashimurayama; Atsuhiko Urushihara; Jyun Furuya,** both of Kokubunji; **Toshiyuki Moriya, Tokorozawa; Shinju Ito,** Katsuta, all of Japan

[73] Assignee: **Hitachi, Ltd., Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **752,252**

[22] Filed: **Aug. 19, 1991**

[30] **Foreign Application Priority Data**

Jul. 31, 1991 [JP] Japan ..... 3-22694

[52] U.S. Cl. .... **D14/118**

[58] Field of Search ..... D14/118, 124, 299; D18/36, 37; 358/400, 401

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 290,959 7/1987 Ooie ..... D14/118  
D. 296,334 6/1988 Hara ..... D18/36

D. 305,775 1/1990 Tamada ..... D18/36  
D. 312,079 11/1990 Komatsu ..... D14/118  
D. 316,254 4/1991 Sato ..... D14/118  
D. 323,160 1/1992 Udagawa ..... D14/118

**OTHER PUBLICATIONS**

The Office, Oct. 1988, p. 39, Nitsuko model FX-E500.

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Antonelli, Terry, Stout & Kraus

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front and right side perspective view of a facsimile transceiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevational view thereof, the left side being a mirror image; FIG. 5 is a rear elevational view thereof; and, FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

