



US00D333380S

United States Patent [19]
Swift

[11] **Patent Number: Des. 333,380**
[45] **Date of Patent: ** Feb. 23, 1993**

[54] **CHILD SAFETY SEAT BELT**

[76] **Inventor: Barbara Swift, 69 Fair Oaks St., San Francisco, Calif. 94110**

[**] **Term: 14 Years**

[21] **Appl. No.: 553,687**

[22] **Filed: Jul. 18, 1990**

[52] **U.S. Cl. D2/639**

[58] **Field of Search D2/639; 2/314; 280/801, 280/802, 803, 804, 805, 806, 807, 808; 297/468, 485, 473, 464**

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,381,268	4/1968	Boblitz	280/801 X
3,871,470	3/1975	Schwanz et al.	200/806 X
4,310,175	1/1982	Pickett	280/801
4,915,413	4/1990	Meyer	280/801
4,919,484	4/1990	Bougher et al.	280/801 X

OTHER PUBLICATIONS

Symbol Source Book, Jan. 7, 1972, pp. 54, 48, 126.

Primary Examiner—A. Hugo Word

Assistant Examiner—Paula A. Mortimer

Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a child safety seat belt, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a child safety seat belt showing my new design;


FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevational view the opposite side is a mirror image thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.






FIG. 1.

FIG. 2.





FIG. 3.






FIG. 4.




FIG. 5.




FIG. 6.