



US00D333461S

United States Patent [19]

[11] Patent Number: **Des. 333,461**

Shimizu et al.

[45] Date of Patent: **** Feb. 23, 1993**

[54] **REMOTE CONTROL UNIT FOR PROGRAMMABLE CONTROLLER**

D. 328,058 7/1992 Suzuki et al. D13/162 X

[75] Inventors: **Norio Shimizu; Yuichi Watanabe,**
both of Tokyo, Japan

[73] Assignee: **Koyo Electronics Industries Co., Ltd.,**
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **579,450**

[22] Filed: **Sep. 7, 1990**

[30] **Foreign Application Priority Data**

Mar. 15, 1990 [JP] Japan 2-8727

[52] U.S. Cl. **D13/162**

[58] Field of Search D14/217, 218, 299, 107,
D14/114; D13/168, 184, 162; 455/151,
352-355; 358/194.1

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 307,741 5/1990 Gilbert D13/162
- D. 311,389 10/1990 Festa et al. D13/184
- D. 316,247 4/1991 Liabres et al. D13/162

OTHER PUBLICATIONS

Control Engineering, Jul. 1989, p. 75, TI Series 305.
Control Engineering, Jul. 1989, p. 76, TI Series 405 I/O
modules.

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] **CLAIM**

The ornamental design for a remote control unit for programmable controller, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a remote control unit for programmable controller showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof; and,
FIG. 7 is a front, bottom and right side perspective view thereof.




FIG.1




FIG.2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

