



US00D333475S

United States Patent [19]
Kuwada et al.

[11] **Patent Number: Des. 333,475**
[45] **Date of Patent: ** Feb. 23, 1993**

- [54] **FUEL PUMP FOR AUTOMOBILE**
- [75] **Inventors: Hisashi Kuwada; Hajime Takaie,**
both of Fukuyama, Japan
- [73] **Assignee: Mitsubishi Denki Kabushiki Kaisha,**
Tokyo, Japan
- [**] **Term: 14 Years**
- [21] **Appl. No.: 488,970**
- [22] **Filed: Feb. 26, 1990**
- [30] **Foreign Application Priority Data**
Sep. 25, 1989 [JP] Japan 1-34843
- [52] **U.S. Cl. D15/9.1; D15/5**
- [58] **Field of Search D15/1-6,**
D15/9.1; D13/114; 123/495, 497, 499, 458,
490, 498; 417/323-325
- [56] **References Cited**
U.S. PATENT DOCUMENTS
D. 215,881 11/1969 Svenson D15/1

4,124,008 11/1978 Fujikawa 123/495
 4,421,076 12/1983 Sasaki 123/499
 4,672,937 6/1987 Fales et al. 123/495

Primary Examiner—A. Hugo Word
Assistant Examiner—R. Seifert
Attorney, Agent, or Firm—McGlew and Tuttle

[57] **CLAIM**

The ornamental design for a fuel pump for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a fuel pump for automobile showing our new design;
 FIG. 2 is a front elevational view;
 FIG. 3 is a bottom plan view;
 FIG. 4 is a left side elevational view;
 FIG. 5 is a right side elevational view;
 FIG. 6 is a rear elevational view;
 FIG. 7 is a cross sectional view taken along the lines 7—7 of FIG. 2; and,
 FIG. 8 is a perspective view.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

