



US00D333505S

United States Patent [19]

[11] Patent Number: **Des. 333,505**

Matsumura

[45] Date of Patent: **** Feb. 23, 1993**

[54] **APPARATUS FOR PRODUCING ELECTROLYZED WATER**

4,632,739 12/1986 LaValley 204/266 X
4,802,961 2/1989 Woog et al. 204/229 X
5,051,161 9/1991 Yamaguchi et al. 204/229

[76] Inventor: **Yoshio Matsumura, 45-17, Koie 5-chome, Nishi-ku, Hiroshima-shi, Hiroshima-ken, Japan**

Primary Examiner—Wallace R. Burke
Assistant Examiner—M. H. Tung
Attorney, Agent, or Firm—Flynn, Thiel, Boutell & Tanis

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **569,166**

The ornamental design for an apparatus for producing electrolyzed water, as shown and described.

[22] Filed: **Aug. 17, 1990**

[30] **Foreign Application Priority Data**

DESCRIPTION

Feb. 27, 1990 [JP] Japan 2-6280

[52] U.S. Cl. **D23/200; D23/209**

[58] Field of Search 204/229, 263-266; 210/282, 416.3; D23/200, 207-210

FIG. 1 is a front perspective view of an apparatus for producing electrolyzed water showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a left side elevational view thereof; FIG. 8 is a right side elevational view thereof; and, FIG. 9 is a front perspective view thereof, the broken line drawing being for illustrative purposes only and forming no part of the claimed design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 269,370 6/1983 Groff D23/207 X
D. 311,767 10/1990 Beall D23/207
D. 316,741 5/1991 Kurth et al. D23/209
3,959,110 5/1976 Burgess 204/229
4,533,451 8/1985 Kumazawa 204/229




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

