



US00D333515S

United States Patent [19]

[11] Patent Number: **Des. 333,515**

Levien

[45] Date of Patent: **** Feb. 23, 1993**

[54] **BATHTUB**

[75] Inventor: **Robin H. Levien, London, England**

[73] Assignee: **American Standard Inc., New York, N.Y.**

[**] Term: **14 Years**

[21] Appl. No.: **921,500**

[22] Filed: **Jul. 30, 1992**

Related U.S. Application Data

[62] Division of Ser. No. 554,031, Jul. 17, 1990, Pat. No. Des. 330,934.

[30] Foreign Application Priority Data

Jan. 23, 1990 [WO] World Int. Prop. O. DM/015663

[52] U.S. Cl. **D23/277**

[58] Field of Search **D23/270, 271, 275, 277-283, D23/8303-8307; 4/538, 539, 571.1, 573.1, 575.1, 578.1, 579, 584, 589, 590**

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|---------------|-----------|
| D. 126,223 | 4/1941 | Ille | D23/282 X |
| D. 203,803 | 2/1966 | Tecton | D23/277 |
| D. 219,215 | 11/1970 | Korol | D23/281 |
| D. 219,976 | 2/1971 | Seymour | D23/275 |
| D. 227,100 | 6/1973 | Weiss | D23/277 |

| | | | |
|------------|---------|---------------------|-----------|
| D. 237,183 | 10/1975 | Bonsack | D23/281 |
| D. 244,855 | 6/1977 | Doman | D23/281 |
| D. 253,125 | 10/1979 | Primautt | D23/282 |
| D. 266,576 | 10/1982 | Harrison | D23/280 |
| D. 269,460 | 6/1983 | Kohler, Jr. | D23/281 |
| D. 274,641 | 7/1984 | Griffiths | D23/281 |
| D. 275,597 | 9/1984 | Lox | D23/280 X |
| D. 276,362 | 11/1984 | Griffiths | D23/281 |
| D. 285,110 | 8/1986 | Burgess et al. | D23/281 |
| D. 311,979 | 11/1990 | Giese et al. | D23/277 |
| D. 313,273 | 12/1990 | Diamond | D23/281 |
| D. 318,720 | 7/1991 | Dowse | D23/277 |
| 1,940,514 | 12/1933 | Steinkamp | 4/590 |
| 2,168,079 | 8/1939 | Zinkil | 4/590 |
| 4,316,294 | 2/1982 | Baldwin | 4/538 |

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Blum Kaplan

[57] CLAIM

The ornamental design for bathtub, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a bathtub showing my new design;



FIG. 2 is a top plan view of a second embodiment thereof;

FIG. 3 is a front elevational view of FIG. 1;

FIG. 4 is a rear elevational view of FIG. 1;

FIG. 5 is a right side elevational view of FIG. 1; and

FIG. 6 is a left side elevational view of FIG. 1.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6