



US00D333719S

# United States Patent [19]

Latraverse et al.

[11] Patent Number: Des. 333,719

[45] Date of Patent: \*\* Mar. 9, 1993

## [54] CLEAT SKIRT

[75] Inventors: Paul A. Latraverse; Harris L. MacNeill, both of Northborough; Thomas W. Erich, Holliston, all of Mass.

[73] Assignee: MacNeill Engineering Company, Inc., Marlborough, Mass.

[\*\*] Term: 14 Years

[21] Appl. No.: 400,357

[22] Filed: Aug. 30, 1989

[52] U.S. Cl. .... D2/314

[58] Field of Search ..... D2/204, 205, 274, 311, D2/314, 317-321; 36/67 R, 67 D, 134

## [56] References Cited

### U.S. PATENT DOCUMENTS

2,309,783	2/1943	Park	36/67 D
2,315,874	4/1943	Sabel et al.	36/67 D
2,459,610	1/1948	Zadina	36/67 D
2,578,591	12/1951	Phillips	36/67 D
3,156,987	11/1964	Dassler	36/134

3,343,285	9/1967	Kowal	36/67 D
3,816,945	6/1974	Egtvedt	36/134 X
4,723,366	2/1988	Hagger	36/67 D

Primary Examiner—Louis S. Zarfes  
Attorney, Agent, or Firm—Bromberg & Sunstein

## [57] CLAIM

The ornamental design for a cleat skirt, as shown and described.

## DESCRIPTION


FIG. 1 is a perspective view from below of a cleat skirt showing our new design;

FIG. 2 is a perspective view from above of the cleat skirt shown in FIG. 1;

FIG. 3 is a perspective view from below of the cleat skirt shown in FIGS. 1 and 2 attached to a spike shown by dotted lines; and,

FIG. 4 is a perspective view from above of the cleat skirt shown in FIGS. 1 and 2 attached to a spike and a threaded member shown by dotted lines.

The broken lines showing the cleat spike and cleat screw are for illustrative purposes only and form no part of the claimed design.






FIG. 1




FIG. 2




FIG. 3




FIG. 4