



US00D333719S

# United States Patent [19]

[11] Patent Number: **Des. 333,719**

**Latraverse et al.**

[45] Date of Patent: **\*\* Mar. 9, 1993**

[54] **CLEAT SKIRT**

3,343,285	9/1967	Kowal	36/67 D
3,816,945	6/1974	Egtvedt	36/134 X
4,723,366	2/1988	Hagger	36/67 D

[75] Inventors: **Paul A. Latraverse; Harris L. MacNeill**, both of Northborough; **Thomas W. Erich**, Holliston, all of Mass.

*Primary Examiner*—Louis S. Zarfaz  
*Attorney, Agent, or Firm*—Bromberg & Sunstein

[73] Assignee: **MacNeill Engineering Company, Inc.**, Marlborough, Mass.

[57] **CLAIM**

The ornamental design for a cleat skirt, as shown and described.

[\*\*] Term: **14 Years**

**DESCRIPTION**

[21] Appl. No.: **400,357**

[22] Filed: **Aug. 30, 1989**

[52] U.S. Cl. .... **D2/314**

[58] Field of Search ..... **D2/204, 205, 274, 311, D2/314, 317-321; 36/67 R, 67 D, 134**

FIG. 1 is a perspective view from below of a cleat skirt showing our new design;

FIG. 2 is a perspective view from above of the cleat skirt shown in FIG. 1;

FIG. 3 is a perspective view from below of the cleat skirt shown in FIGS. 1 and 2 attached to a spike shown by dotted lines; and,


FIG. 4 is a perspective view from above of the cleat skirt shown in FIGS. 1 and 2 attached to a spike and a threaded member shown by dotted lines.

The broken lines showing the cleat spike and cleat screw are for illustrative purposes only and form no part of the claimed design.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

2,309,783	2/1943	Park	36/67 D
2,315,874	4/1943	Sabel et al.	36/67 D
2,459,610	1/1948	Zadina	36/67 D
2,578,591	12/1951	Phillips	36/67 D
3,156,987	11/1964	Dassler	36/134






FIG. 1




FIG. 2




FIG. 3




FIG. 4