



US00D333794S

# United States Patent [19]

[11] Patent Number: **Des. 333,794**

**Emori**

[45] Date of Patent: **\*\* Mar. 9, 1993**

[54] COATING THICKNESS TESTER

4,567,436 1/1986 Koch ..... 324/230  
4,715,007 12/1987 Fujita et al. .... 364/563

[75] Inventor: **Motohiko Emori, Tokyo, Japan**

### FOREIGN PATENT DOCUMENTS

[73] Assignee: **Kett Electric Laboratory, Tokyo, Japan**

1038414 8/1966 United Kingdom ..... 33/761

[\*\*] Term: **14 Years**

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine Davis  
*Attorney, Agent, or Firm*—Pollock, Vande Sande & Priddy

[21] Appl. No.: **534,417**

[22] Filed: **Jun. 7, 1990**

### [57] CLAIM

[30] Foreign Application Priority Data

The ornamental design for a coating thickness tester, as shown.

Feb. 28, 1990 [JP] Japan ..... 2-6153

[52] U.S. Cl. .... **D10/70; D10/72**

[58] Field of Search ..... **D10/70, 72; 33/755-765; 324/229, 230; 364/563**

### DESCRIPTION

[56] References Cited

#### U.S. PATENT DOCUMENTS

D. 203,411 1/1966 Quenot ..... D10/72  
D. 203,622 2/1966 Quenot ..... D10/72  
D. 205,467 8/1966 Quenot ..... D10/72  
D. 314,156 1/1991 Doyle ..... D10/72 X  
692,756 2/1902 Baldwin ..... 33/762

FIG. 1 is a front elevational view of coating thickness tester showing my new design;  
FIG. 2 is a rear elevational view;  
FIG. 3 is a top plan view;  
FIG. 4 is a bottom plan view;  
FIG. 5 is a left side elevational view;  
FIG. 6 is a right side elevational view; and,  
FIG. 7 is a front, top and right side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7

