



US00D333972S

United States Patent [19]

[11] Patent Number: **Des. 333,972**

Hyatt, Jr. et al.

[45] Date of Patent: **** Mar. 16, 1993**

[54] HOUSING FOR AN ELECTRONIC KEY READER

4,149,394	4/1979	Sornes	70/387
4,916,299	4/1990	Fish et al.	70/453
4,956,984	9/1990	Chi-Cheng	70/277

[75] Inventors: **Richard G. Hyatt, Jr.; Charles E. Hall**, both of Salem, Va.

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Rothwell, Figg, Ernst & Kurz

[73] Assignee: **Medeco Security Locks, Inc.**, Salem, Va.

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a housing for an electronic key reader, as shown and described.

[21] Appl. No.: **531,812**

DESCRIPTION

[22] Filed: **May 31, 1990**

[52] U.S. Cl. **D8/353; D8/346**

[58] Field of Search **D8/353, 343, 346; 70/448, 450, 452, 453, 454**


FIG. 1 is a front perspective view of a housing for an electronic key reader showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof, the left side being a mirror image; FIG. 4 is a rear elevational view thereof; and, FIG. 5 is a bottom plan view thereof, the top being a mirror image.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 288,899	3/1987	Floyd et al.	D8/353
3,588,397	6/1971	Ellefson	70/387
3,834,197	9/1974	Sedley	70/448

The broken line showing in FIGS. 1, 3, and 5 is for illustrative purposes only.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5