



US00D334160S

United States Patent [19]

[11] Patent Number: **Des. 334,160**

Woo

[45] Date of Patent: **** Mar. 23, 1993**

[54] TIRE

[75] Inventor: **Byung I. Woo**, Taejon, Rep. of Korea

[73] Assignee: **Hankook Tire Mfg. Co., Ltd.**, Rep. of Korea

[**] Term: **14 Years**

[21] Appl. No.: **650,709**

[22] Filed: **Feb. 4, 1991**

[52] U.S. Cl. **D12/146**

[58] Field of Search **D12/141-143, D12/145-151; 152/209 R, 209 A, 209 B, 209 D**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 296,093 6/1988 Mezzanotte D12/146

FOREIGN PATENT DOCUMENTS

90404 4/1988 Japan 152/209 A

OTHER PUBLICATIONS

1990 Tread Design Guide, p. 72, Toyo 600-4DR Tire, second row down from top of page & second tire in from left.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Jordan B. Bierman

[57] CLAIM

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design, it being understood that the tread pattern is repeated uniformly throughout the circumference thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side elevational view thereof; and,

FIG. 5 is an enlarged fragmentary front elevational view thereof.




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5

