



US00D334337S

United States Patent [19]

[11] Patent Number: **Des. 334,337**

Ito et al.

[45] Date of Patent: ** Mar. 30, 1993

[54] **WIRE BINDER**

[75] Inventors: **Takayoshi Ito; Takashi Hayakawa,**
both of Utsunomiya, Japan

[73] Assignee: **Sumitomo Wiring Systems, Ltd.,** Mie,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **565,842**

[22] Filed: **Aug. 13, 1990**

[30] **Foreign Application Priority Data**

Mar. 6, 1990 [JP] Japan 2-7274

[52] U.S. Cl. **D8/396; D8/394**

[58] Field of Search **D8/373, 380, 394, 396;**
24/16 PB, 30.5 P; 248/74.3

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 305,099	12/1989	Naruse et al.	D8/396
4,149,298	4/1979	Forest	248/74.3
4,263,697	4/1981	Speedie	24/305 P
4,272,870	6/1981	McCormick	248/74.3
4,860,979	8/1989	Camenisch	248/74.3

FOREIGN PATENT DOCUMENTS

56-13732 1/1981 Japan .
56-34265 3/1981 Japan .

OTHER PUBLICATIONS

Richco Catalog—ed. 18; ©1986; p. 58; Marker Flag Tie
WIT-F2-18R and Screw Mount Tie WITS-120MR.

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] **CLAIM**

The ornamental design for a wire binder, as shown.

DESCRIPTION

FIG. 1 is a top, rear and left side perspective view of a
wire binder showing our new design;
FIG. 2 is an enlarged top plan view thereof;
FIG. 3 is an enlarged front elevational view thereof;
FIG. 4 is an enlarged bottom plan view thereof;
FIG. 5 is an enlarged left end elevational view thereof;
FIG. 6 is an enlarged right end elevational view thereof;
and,
FIG. 7 is an enlarged rear elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 7




FIG. 5




FIG. 6

