



US00D334361S

United States Patent [19]

[11] Patent Number: **Des. 334,361**

Croissant

[45] Date of Patent: **** Mar. 30, 1993**

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventor: **Bernhard Croissant, Bastogne, Belgium**

[73] Assignee: **The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **576,898**

[22] Filed: **Sep. 4, 1990**

[52] U.S. Cl. **D12/147**

[58] Field of Search **D12/141-143, D12/145-151; 152/209 R, 209 B, 209 D**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 215,525	9/1969	Brown et al.	D90/20
D. 256,228	8/1980	Robertson	D12/147
D. 262,202	12/1981	Hammond et al.	D12/147
3,945,871	3/1976	Schelkmann	156/212

OTHER PUBLICATIONS

Modern Tire Dealer, Jun. 26, 1979, p. 72, Yokohama 745B Tire.

Tread Design Guide, p. 147, Dunlop SP 411 Steel Radial Tire.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—T. P. Lewandowski

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of a pneumatic tire tread and buttress showing my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevational view thereof; and,

FIG. 3 is a fragmentary side elevational view thereof.

The broken line showing of the environmental structure in the drawing is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2




FIG-3