



US00D334389S

# United States Patent [19]

[11] Patent Number: Des. 334,389

Bollé

[45] Date of Patent: \*\* Mar. 30, 1993

## [54] SUNGLASSES

- [75] Inventor: Maurice Bollé, Cedex, France
- [73] Assignee: Etablissementst Bollé S.N.C., Cedex, France
- [\*\*] Term: 14 Years
- [21] Appl. No.: 325,342
- [22] Filed: Mar. 17, 1989
- [52] U.S. Cl. .... D16/102
- [58] Field of Search ..... D16/102, 111, 112, 121, D16/125, 126, 127, 128; 351/44, 51, 83, 90

## OTHER PUBLICATIONS

American Bicyclist and Motorist Mar. 1988 p. 43 #1902 (Spectacles Digest).  
 American Bicyclist and Motorist Mar. 1988 p. 3 (Spectacles Digest).

Primary Examiner—Bernard Ansher  
 Assistant Examiner—R. Barkai  
 Attorney, Agent, or Firm—Rosen, Dainow & Jacobs

## [57] CLAIM

The ornamental design for sunglasses, as shown and described.


## [56] References Cited

### U.S. PATENT DOCUMENTS


- |            |         |                  |         |
|------------|---------|------------------|---------|
| D. 141,028 | 4/1945  | Splaine .....    | D16/112 |
| D. 141,198 | 5/1945  | Baratelli .....  | D16/112 |
| D. 163,869 | 3/1951  | Hinman .         |         |
| D. 165,349 | 12/1951 | Stegeman .       |         |
| D. 171,762 | 3/1954  | Hoffmaster .     |         |
| D. 178,178 | 7/1959  | Fleming .        |         |
| D. 187,394 | 3/1960  | Moeller .        |         |
| D. 199,150 | 9/1964  | Carmichael ..... | D16/102 |
| D. 268,683 | 4/1983  | Tenny .          |         |
| D. 273,819 | 5/1984  | Yehl .           |         |
| D. 311,197 | 10/1990 | Jannard .....    | D16/127 |
| 3,368,221  | 2/1968  | Anderson .       |         |
| 3,395,406  | 8/1968  | Smith .          |         |
| 3,663,959  | 5/1972  | Loubeyre .       |         |
| 3,691,565  | 9/1972  | Galonek .        |         |
| 4,047,809  | 9/1977  | Zuccatti .       |         |
| 4,607,915  | 6/1987  | Evans .          |         |
| 4,730,915  | 3/1988  | Jannard .....    | 351/44  |

## DESCRIPTION


FIG. 1 is a front perspective view of sunglasses showing a front embodiment of my new design;  
 FIG. 2 is a right side elevation view thereof; the left side elevation view is the mirror image of the right side elevation;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a front elevation view thereof;  
 FIG. 5 is a rear elevation view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a front top left perspective view of a second modified embodiment of the design shown in FIGS. 1-6, the front top right perspective view is a mirror image of FIG. 7; FIG. 7 differs from FIG. 1 by the inclusion of a brow bar;  
 FIG. 8 is a rear elevation view of FIG. 7;  
 FIG. 9 is a bottom plan view of FIG. 7; and  
 FIG. 10 is a bottom plan view of the brow bar of FIG. 7 shown separately for clarity of illustration.




*FIG. 1*




*FIG. 2*




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**




FIG. 7




FIG. 8

